

KANN'SOpen 8:30 a.m.
Close 5:30 p.m.
Saturday, Close 6 p.m.**KANN'S**October 24, 1916.
Fair, somewhat warmer tonight.
Tomorrow partly cloudy.

Think a Minute—How Many Weeks
Isn't This the Right Time
to Begin Making the
Many Pretty Things
With the Needle?

START ON THESE—

Lamb's Wool Slipper Soles;
children's, misses', women's and
men's sizes; all here.

Values to 45c.
For One Day, 25c
Tomorrow.

54-inch Battenberg Lace-trimmed
Table Covers, good quality braid
and workmanship;
very pretty \$2.25

All-Even Lace-trimmed
Dresser Scarfs,
pretty styles \$1.25

Kann's—Third Floor.

HALLOWEEN

Novelties and
Favors

—had best be bought now while
assortments are complete.
FIND THEM AT
—Toyland—Fourth Floor.
—Candy Store—Street Floor.
—Stationery—Street Floor.

Try a Woolnap Blanket

See How Delightfully Warm, Comfortable and Light in Weight It Is
—and Then Rejoice Over the Small Price You Paid
For It. Two Splendid Items For
Tomorrow's Selling.

Woolnap Blankets, 64x76 inches;
in white, gray and tan; with pink
and blue borders, and
wide mohair bindings. At \$2.00

Woolnap Blankets, in pink, blue,
gray and brown plaid; 70x80 size;
also in white with pink
and blue borders; 72x84
size. AT \$3.00

Cotton-filled Comforts, covers of cretonnes
and large variety of colors and designs; some finished with
plain colored borders; light and heavy weight; filling
of pure white cotton. AT \$2.00

Kann's—Street Floor.

Dresses and Coats in Conspiracy to Make the Biggest Season of Years

One Garment Necessitates the Possession of the Other, and Both Are Marvelously Popular This Fall and Winter

Dresses \$19.75 Coats

12 or More Different Models 12 to 15 Styles to Select From

Have you noticed that almost every woman is buying a coat this year? What follows?
She buys a dress, also. At tomorrow's price the two will cost her but \$39.50.
Buying them here she is assured of getting the best in style, and quality that she can
find in almost any city in the country at the above price.

Well Bred Dresses of Serge—
Styles that women enthuse over because
of the pretty lines, and their attractive sim-
plicity.
Blue serge and black serge; made in
box-pleated, yoke shoulder effects; collars are
plain or hemstitched, or embroidered in
oriental embroidery; some have pretty little
silk ties; some have braided patch pockets;
one style is profusely trimmed with black
Hercules braid on front, sleeves and pockets;
the bodice part made in laque effect; another
is beautifully beaded; some
have belts, others gracefully
twining sashes. All sizes at \$19.75

Coats With Big Collars—
—are the ones that women look for at the
present moment and there are plenty of the
large-collared coats in this assortment;
some of the collars are trimmed with seal
plush, some with beauty fur cloth, and many
with self collar.
Beaded and full-flare styles; made from
such fashionable materials as lynx cloth,
zibeline, velours, chevrons,
plaids and mixtures; all sizes
and the most desirable colors.
CHOICE. \$19.75

Kann's—Second Floor.

THE NEW FALL MODELS IN**Nemo Corsets**

—apparently have struck exactly the right cord
to appeal to almost every type of woman. Among
the latest styles are—

The Nemo Self-Reducing Corset, for
short or medium height stout
figures.

The Nemo Wonderlift Corset, with
advanced hygienic features; de-
signed for those who need the up-
lift support.

Nemo Corsets, with elastic gores
in back for women of average and
full figures.

Nemo Back-Resting Corset, with
abdominal and back support, for
medium and stout figures.

CHOICE OF THESE MODELS AT...
OTHER STYLES INCLUDE—
The Nemo Corset, for
figure with excess
fat around
abdomen. \$4.00
AT...
Kann's—Second Floor.

BUY CHRISTMAS GIFT DOLLS

HERE and NOW—and AT THE OLD PRICES!
Do not wait—get what you want for the little girls now while
the stocks are complete; and you have ample time to make the
clothing for the dolls.

HERE IS A PAIR HARD TO EQUAL ANYWHERE—

Imported Jointed
Dolls, 31 inches
tall; paper mache
bodies; fine bisque
heads; long, curly
hair; three
times sewn; paint
eyebrows; eyes
that open and
close; and real
eyelashes; turning
wrists; have shoes
and stockings;
limited number of
these \$5.50 values.
Special.

Handwerk
Character Doll.
Finest bisque
painted hair,
brown or blue
eyes; open mouth
with moving
tongue; jointed
limbs; size 21
in., complete with
wardrobe, \$5.00.
Special.

18 inches tall.
Special, \$4.45
15 inches tall.
Special, \$4.95

18 inches tall.
Special, \$4.45
15 inches tall.
Special, \$4.95

Kann's—Fourth Floor.

So Much Importance Lies in the Lines of Your**Simple or Elaborate Blouses**

—that you should choose carefully. You can do so when you have such
a generous assortment of styles to select from as we show in our lines.

At \$3.95

Crepe de Chines, Chiffons,
Georgette crepes, Laces
Two Well Made, Well Cut, New
Blouses of crepe de chine made their ap-
pearance just in the last day or two in
our Blouse Store. One of these is a tal-
lared effect with large sailor collar, tucks
across the front, large pearl buttons;
made of a good, heavy quality crepe.
Another model has four box pleats down
front, large sailor collar, finished with
hemstitching. Still another has flat fall
front. These, as well as the front of
Georgette crepe, are in white, flesh color
and black.

The chiffons are in light shades, also
in the dark suit shades. The Lace Blouses
are of beautiful, lustrous radium lace, and
dainty shadow lace patterns.
Kann's—Second Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Think of It!
High Neck Sleeveless Guimpes
A 50c Value Tomorrow at 29c

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

Choice of many different designs of fancy nets in both
white and ecru.
So many of the new dresses and waists, as well as suits
are designed in a manner that makes them adaptable to the
use of these sleeveless guimpes.
Kann's—Bargain Table—Street Floor.

CHANGE IN ROUTE OF R. R. EXTENSION

Capital Traction Company Ac-
cepts Suggestion Made by
Utilities Commission.

EARLY PERMIT REQUESTED

Extension by the Capital Traction Com-
pany of street railway facilities to Po-
tomac Park was brought a step nearer
realization today with acceptance by the
company of a suggestion by the public
utilities commission for a change in the
proposed route.

In its application, filed September 21,
the company proposed an extension be-
ginning at 18th street and Pennsylvania
avenue northwest and extending by dou-
ble track south on 18th street to C street
north, and by single track on 18th street
between C street and Virginia avenue, on
Virginia avenue between 18th street and
C street and on C street between Virginia
avenue and 18th street, forming a termi-
nal loop around the triangle between 18th
street, C street and Virginia avenue.

Connecting Track Proposed.
The plan also proposed a connecting
track between the proposed southbound
track on 18th street and the existing
track on F street. In addition, the com-
pany requested authority to place special
work at the intersection of 15th street
and New York avenue, providing a dou-
ble track connection between the pres-
ent tracks on the 14th street line on
New York avenue and the present tracks
on Pennsylvania avenue west of 15th
street. The object of the latter sugges-
tion would be to permit operation of ser-
vice from the 14th street line west on
Pennsylvania avenue and south on 18th
street, C street and Virginia avenue, or
making a loop via F and 17th streets.

Recommend Revision.
After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

The Kappene plan calls for a single
track on 18th street from Pennsylvania
avenue to Virginia avenue, south on
Virginia avenue to 19th street and east
on 19th street to Pennsylvania avenue.
The company has notified the com-
mission that the proposed change is ac-
ceptable to it and requests that action
on its application be taken as early as
possible, as it will require several
months to obtain the construction ma-
terials should the plan be adopted. It is
authorized. The application will be con-
sidered at a public hearing, it is an-
nounced.

After studying the proposed plan, J.
Kappene, engineer of the public utilities
commission, recommended a re-
vision which would eliminate double-
track construction on 18th street for the
reason that this is a narrow street.

NIGHT SCHOOL YEAR FORMALLY OPENED

Number of New Courses, In-
cluding Salesmanship, Add-
ed to Curriculum.

BIG ENROLLMENT NOTED

Any one who wishes to know whether
many Washingtonians are bent on self-
improvement need only make a tour
of the school buildings which last
evening opened for night work to have
the question answered in the affirma-
tive. The exercises marked the formal
beginning of the night school year, and
despite the fact that two evenings in
the white and one in the colored schools
had been used last week for enrollment
purposes hundreds more were entered
last evening. So large was the demand
for tuition that many classes had to be
closed and a waiting list established.

The fact that a number of new
courses have been added to the night
school curriculum, in pursuance of the
policy of Supt. Ernest L. Thurston
make the night schools fit the needs of
the community, had much to do with
the size of the registration.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year.

It is estimated that the night school
work will be completed by the end of
the year